PS

THE PREVENTIVE MAINTENANCE MONTHLY


THIS IS THE FOURTH TIME YOU'VE BOMBED OUT ON US... I TOLD YOU TO CHECK THE PM INDEX.
SUPPLY
NO STOCKS
AQUISITION UNIT SUPPLY MIA468
INPUT READER
MOBILE REQUIREMENT MODULE
WOT ARE YOU BEEFING ABOUT... I'VE GOT 4 MEN WHO DON'T KNOW THEIR SUPPLY PUBS... NEVER READ AR 735-35, DON'T REMEMBER SUPPLY STATUS CODES... AND THEY'RE TALKIN' ABOUT REPLACING ME WITH A SPEC 4.
INDEX
Issues 194-199
(JAN-JUN 1969)
Will Eisner

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 19
to
ISSUES 194-199
(Jan-Jun 1969)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 194 to 199 INCLUSIVE

	PS	Page
A		
AIRCRAFT ARMAMENT		
LOH helicopter subsystem--XM27E1	198	56
XM18E1 subsystem	197	56
XM 64--used to be TAT-102A	196	43
AIRCRAFT, ARMY		
General		
Parachutes--PM	199	40
Parts--troubleshoot before replacing	199	38
TBO--extension normal	199	39
Fixed Wing		
O-1 (Bird Dog)		
Engine Mags--filter on	195	49
OV-1 (Mohawk)		
Generators, A-C---return for repair	198	54
Preventive Maintenance Tips	195	44
T-41B (Mescalero)		
Fuel Fumes--tighten shutoff valve	198	55
U-8 (Seminole)		
Oil change--Pull every periodic	197	81
Propeller--use new travel tube	198	53
U-21A (Ute) annunciator light--make shade to stop glare	197	70
Rotary Wing		
General		
Rod-end bearings--make tool to lube	199	38
AH-1G (HueyCobra)		
Crosshead--cotter pin nuts	199	65
FOD--screen helps prevent foreign object damage	196	38
Heater, ventilator valve--hands off	197	69
CH-37 (Mojave)		
Shoulder Harness--tap reel for locking check	199	39
CH-47 (Chinook)		
Engine cowling--round off sharp corners	198	55
Engine mounts--use single-acting pin	199	37

	PS	Page
AIRCRAFT, ARMY, (Rotary Wing-CH-47 Chinook) cont'd		
PM--tips on preventive maintenance	196	44
Screen--protects engine from FOD	196	47
OH-6A (Cayuse)		
Switch vibration absorber	197	68
Detector, chip--use improved attaching nut	198	54
OH-13 (Sioux)		
Engine--use proper cooling fan belt	196	47
UH-1 (Iroquois)		
Crosshead--cotter pin nuts	199	65
Door--make sure it's secure	196	42
Engine--if it failed, don't pickle	195	65
Flight control tubes--never use force	196	41
FOD--etc	196	38
Main Rotor-- never clean grip seals	197	68
PM tips--use TLC	194	12
Transmission-- scan instruments	196	41
UH-1C (Iroquois)		
Main rotor trunnion housing-use 4 steel bolts	196	65
Main rotor--condition replacement items	197	69
UH-1D (Iroquois)		
XM52 Smoke Sub-System--add strainer	196	42
AIRCRAFT, ARMY, GENERAL		
Engine, opposed-type recip--pre oil with starter	198	54
Forms--see TB 55-1500-307-25 for historical type	195	49
Hardware--Torque, secure	198	53
Modification Work Orders--eye EIR digest	195	50
Nuts--don't use nut restorer tool	196	65
Serial number--eye data plate	195	51
Test Flight--time carried forward to next periodic	195	51
Torque--use table 5 in TM 55-405-2	195	49
AMMUNITION		
Round, returning to container	197	45
Safety clip for M26-series, M30 grenades	197	47
Smoke Ammo--M79 grenade launcher	194	65
Setting M564 MTSQ fuze	197	46
60-MM mortar ammo firing care	197	55
ANTENNAS		
CG-1773A/U RF Cable--connector backs off	198	47
ANTI-FREEZE		
Remove in spring	197	29
AVIONICS		
General PM pointers	198	50

	PS	Page
B		
BAROMETER, ML-102()		
Outside shelter readings	196	43
BATTERY, CHARGER		
Polarity test needed	194	56
BATTERY, LEAD-ACID--overcharging	197	26
BED, STEEL BUNK		
Bed & Springs--must be same MFR	195	58
C		
CABLE		
Wire-lubing	196	63
CALENDAR		
Julian FSN	194	65
PM Calendar 1969	194	29
CAMERA, KE-12 (2)		
PM operational tips	197	32
CAN, GAS		
Gasket--new type	196	65
CANVAS--care	198	29
CAP, GAS TANK		
Non-vent cap returns	197	29
CARRIER, COMMAND & RECONNAISSANCE, M114A1		
Power Cupola--prevent arcing	196	23
CARRIER, PERSONNEL, M113A1		
Pivot brake kit	194	45
CARRIER, PERSONNEL, M113 & M113A1 Family		
Exhaust carbon stains	197	19
Ramp door failure	197	24
CBR		
M3A3 smoke generator mounted	196	27
M6 Respirator is EXP	197	81
CHRONOGRAPH		
M36-PM pointers	198	24
COLLIMATOR, M1		
Seal screws after purging	198	20
Lamp housing FSN	194	27
COOLING SYSTEM		
Liquid & air-cooled systems	199	2
Use of antifreeze	199	2

	PS	Page
CRANE-SHOVEL, AMERICAN H&D		
Kit for model 2380 crane engine starter	196	64
CRANE-SHOVEL, GARWOOD		
Cut-out supports save cables	196	59

D

DECALS		
"NO ZAP" for radios	199	65
Warning for vehicle-mounted radios	198	48
Stars--FSN's	195	59
DELOUSING OUTFIT		
Retaining plate--coat threads	194	57
DRIVER, TRAINING--test equipment	194	41

E

ELECTRICAL CONNECTORS		
Tool Box--keep in,	197	71
ELECTRONIC EQUIPMENT		
Bead Chains--replacement and care	195	53
ENGINE, MILITARY STANDARD		
Air & oil bath cleaners, -I, -II, &-III models	196	60
Decals--use on MIL STD only	198	63
2A042-10 HP---firing order	194	58
EQUIPMENT		
DEPROCESSING, Guide--use form w/equipment	197	75
KITCHEN, scale removing compound	194	58
EQUIPMENT CONTROLS		
Stay within limits	196	48
EQUIPMENT RECORDS		
DA Form 2405	196	62
DA Form 2406--authorized equipment	199	65
DA Form 2408-1---operating hours	194	58
DA Form 2408-4---keep with tube	196	29
DA Form 2410--Disposition	197	76

F

FIELD RANGE, M2 BURNER		
Don't over-pressurize	197	80
TM 38-750, Change 1	194	62

	PS	Page
FILTER		
Protect equipment from dirt	196	1
FILTER, AIR		
Differences on MIL STD -I, -II, -III; 1 1/2&3HP	196	60
FILTER, OIL		
M151 1/4-ton trucks--installation	197	25
FILTER SEPARATOR		
Filter Element--use one in supply	196	61
FIRE CONTROL EQUIPMENT		
Purging kit	197	55
FORMS, DA, DD, SF, ETC.		
DA Form 2062-PB date	194	65
DA Form 2064--from/to dates	195	62
DA Form 2402 for DX supply	196	54
DA Form 3328--PB page	195	60
FUEL		
Winterizing diesel & gasoline with alcohol	196	65
FUEL PUMP		
FSN's multifuel, in-tank	194	41

G

GAS TANK		
Leak check safety	198	15
GENERATOR		
HOL-GAR, CE-56-AC--oil safety	194	59
PU-619M, Tarp, anti-burn idea	198	65
Battery charging polarity test	194	56
Operators & maintenance use	197	81
Operator responsibility	194	1
Portable, General maintenance	199	52
Requisitioning replacement, schedule-set up	198	64
Smoke gen, M3A3--MWO 3-1040-202-45/1	196	27
Smoke gen, mount-M3---MWO 3-1040-255-45/2	196	27
GENERATOR, STEWART & STEVENSON, 45KW		
45KW S&S--urgent fix	194	57
GENERATOR, 5-KW		
Fermont SF-5-MD---danger point	198	63
GENERATOR, 10-KW		
Hol-Gar, WK9--plug FSN	197	74
GRADER		
WABCO 440--shifting in motion	198	64
GUN, MACHINE, 50-CAL		
M2--headspacing and timing	197	48

	PS	Page
GUN, MACHINE, 7.62-MM, M60		
LSA--where and how to apply	194	24
Pinpoint lube guide	194	20
GUN, SELF-PROPELLED, 175MM, M107		
Oil reserve--how to establish it	195	25

H

HEADSET		
H-189/GR---contact pin slippage	196	50
HEATER		
BT 400-40&400-40-1, Engine exaust--replace spring	194	55
HEATER, IMMERSION		
Lighting--procedures	194	60
HEATER, SPACE		
PLL info-TM 10-4520-202-25P	196	59
HELMENT, APH-5, FLYING		
Reflective tape--how to use	196	37
HOWITZER, GENERAL		
Replenisher--check often	194	27
HOWITZER, SELF-PROPELLED, 105-MM, M108		
Be your own inspector	195	2
Be your own inspector	196	2
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Be your own inspector	195	2
Be your own inspector	196	2
Reticle selection	198	20
Tube to breechring assembly	194	27
HOWITZER, SELF-PROPELLED, 8", M110		
Oil reserve--correct way to establish it	195	25
HOWITZER, TOWED		
155-MM, Pan telescope rework	196	23
M102--telescope cover	194	26
M114A1, 155-MM, Firing position--careful when jacking	196	65
HYDRAULIC SYSTEMS		
Sleeve type fittings	198	19

I

INSPECTION		
Be your own inspector---Pistol, 45-cal, general	198	22
Liquid & air-cooled cooling system	199	2

L

LABEL
"NO ZAP" decal 199 65
LANTERN, GASOLINE
Auto-Fab make---exchange it 197 79
LARC, LIGHTER
Fuel handling precautions 197 78
LARC V
Fuel filters--use brass drain cocks 196 60
LAUNCHER, ROCKET, 3.5", M20
Painting blast defector & breech guard 194 26
LAUNDRY UNIT
M532--tumbler drive motor coupling spider 195 59
LIFE PRESERVERS
CO_2 cartridges for underarm & vest-type 196 59
LOGISTICS MAGAZINE 195 65

M

MAGAZINE
New Logistics 195 65
MAINTENANCE
Protection of repairable Parts 197 37
Triangle--PM service 195 1
MAP COPYING SETS
Mapmakers-Bruning 195 64
MARKINGS
National Symbol 195 43
MAST ASSEMBLY
AB-577, New TM available 198 49
MATERIALS HANDLING EQUIPMENT
6,000-lb Anthony & Chrysler--reset emergency stop 195 58
MEAT SLICING MACHINE
Worm Gear--replaced, Sanitary Scale Co 194 55
MODIFICATION WORK ORDERS
New AR 195 65
MOUNT, MACHINE GUN, M-SERIES VEHICLES
M36A1--operation & maintenance 194 39
MICROPHONE, M-80/U--stock numbers 197 35

PS Page

O

OIL--right grade for small Mil-Std engines 196 61

P

PAINT
M6 paint respirator is EXP 197 81
PACKAGING--Repairable parts 197 37
PISTOL, 45-CAL
Be your own inspector 198 22
PRINTING
Bruning map copier 195 64
PROJECTOR SETS
AN/PFP-1, AQ-2A(1)--PM care for movie projector . . . 195 56
PUBLICATIONS
ESC TM revisions 197 80
Supply--DA Pams 350-series 195 63
Supply Manuals--optional repair parts 196 58
TD-6 Tractor, TM's still good 194 56
AR 220-1, Change 1 . . . . . 195 65
AR 700-87, supply discipline 199 29
AR 711-16, sets up DX SOP 196 54
AR 725-8, Components of sets 198 65
AR 735-6---PLL for reserves 198 65
AR 735-35, Change 1---orginal H/R file 194 65
AR 735-35, C1, ---changed by TWX 194 65
DA Cir 310-44, Extended to Nov 69 . . . . . 197 81
DA Pam's, 350-series---cover supply courses 196 62
DA Pam 700-2---supply & maint handbook 197 81
FT 60-L-4, Mortar Ammo 197 55
TM 9-1300-203, setting M564 fuze 197 46
TM 10-4520-202-25P, PLL for space heater 196 59
TM 38-750, C1 . . . . . 194 62
PUMP, FUEL
In-tank FSN's, multifuels 194 41

R

RADAR SET
AN/MPQ-4, 4A--Cables, travel mud-guard 194 10
AN/PPS-5---broken connector plug pins 196 54

	PS	Page
RADAR CHRONOGRAPH		
M36-PM pointers	198	24
RADIACMETER		
AN/PDR-39--carrying strap	195	28
IM-93/UD, IM-9/PD, IM-147/PD--charging-end cap	197	31
IM-174/PD--shoulder strap FSN	195	28
RADIATOR		
Leakage check safety	198	15
RADIO, KIT		
Installation, XM706E1, Armored Car	198	65
RADIO SET		
M715--communications installation unit FSN's	198	12
Squad Radio--AN/PRT-4, AN/PRR-9--general PM	199	44
AN/ARC-54--setscrews for C-3835 control unit	197	31
AN/ARC-131---casing RT-823 receiver-transmitter	195	53
AN/GRC-106---AM-3349 power amplifier tuning	195	54
AN/GRC-106---antenna tune & load indicator errors	196	53
AN/GRC-106--power output check	197	30
AN/GRC-109--adapter fix for PP-2685	194	9
AN/GRC-109---keyer chain	194	9
AN/PRC-25, Harness frame care	196	52
AN/PRR-9, Antenna lock screw	194	8
AN/VRC-12, Be your own inspector	194	2
AN/VRC-12, guard handles--MWO	198	65
RADIO TERMINAL SET		
AN/TRC-24, AN/GRC-50, proper switch handling	195	56
RADIO TRANSMITTER		
T-302/TRC---lock vibration mount	198	48
RECEIVER-TRANSMITTER		
RT-524, RT-246, color code connectors	197	34
REEL EQUIPMENT		
PM on reels	196	53
REPAIR PARTS		
Protection of repairables	197	37
REPAIRABLE ITEMS		
Pack, mark, handle carefully	197	1
REPRODUCTION SET, BRUNING MS300		
Dust cover---how to order	196	64
RIFLE, M14, 7.62-MM		
Safety--cock rifle first	197	55
RIFLE, M14A1, 7.62-MM		
Handgrip must be forward	194	25

	PS	Page
RIFLE, M16A1, 5.56-MM		
Ailments check list	199	26
Receiver--replace parts right	199	25
XM15 blank firing attachment--cleaning	198	21
RIFLE, M16/M16A1		
Blown-up rifles---causes & cures	196	16
Plastic cover--tips on use	196	15
Wallet-size training aid	195	65

S

SAFETY		
M50A2E1 round firing safety	197	55
Checking leak checkers	198	15
Guard against fuel spillage	197	78
Safety clip for hand grenades	197	47
SEARCHLIGHT, XENON		
23-in, no protection shields	196	51
SEMI-TRAILER, 5,000-gal, M131A5C		
Turn signal door-lens assy	196	27
SMALL ARMS		
Keep patch off cleaning brush	196	65
STARTER		
Kit for 2380 Amer Hoist	196	64
Tight mounting bolts--keep gears alined	195	41
SUPPLY		
Accounting for special tools	195	63
Army master data file (AMDF)	198	1
AR 700-87, 21 questions in,	195	65
AR 735-35, C1-TWX change	194	65
DA Pam 700-2--supply & maint handbook	197	81
Dating document register pages	195	62
Expendable in PB	195	61
Handy suspense file	195	62
H/R date in PB	194	65
H/R files--original copy	194	65
Interchangeability scoop	196	58
New PB page--DA form 3328	195	60
Pack, mark, handle carefully repairables	197	1
PLL for reserves (AR 735-6)	198	65
Space heater PLL	196	59
Stamping PB page	195	61
Supply discipline (continuity)	199	29

	PS	Page
Supply (cont'd)		
Supply training aids	195	63
Training aid on supply SOP	196	62
Work your DX supply	196	54
SWITCH, LIGHT		
Two versions, one FSN	195	37

T

TANK, COLLAPSIBLE, FABRIC		
Patch--buff before applying	197	74
TANK, M48A3		
Bushing news	197	19
New fuel filter	198	16
TANK, M48A2/M48A3		
Magneto gasket	194	45
Shell stop fasteners pin	194	44
TANK, M60 & M60A1		
Bushing news	197	19
New fuel filter	198	16
Shell stop fastener pin	194	44
TANK, M551, SHERIDAN		
Correction on stab mode	199	65
TARPAULINS		
Truck, how to install	198	37
TELETYPEWRITER SETS		
TB lubing info	196	52
TT-76()/GGC--disconnect before removing cover	198	49
TEST SETS		
AN/APM-156, Check batteries	195	52
TOE		
DA Cir 310-44---authorization documents	197	81
TOOLS		
Electronics, TK-100/G, TK-101/G, --tube puller	197	34
PB accounting	195	63
Pliers, TL-13A, handle insulation	196	52
Self-locking nuts--tool to restore	194	55
Use test equipment	199	1
Sets-Kits		
Trestles--added to No. 1 & No. 2 common	198	65
No. 2 Common--items deleted	195	43
Signal		
TK 101---new SC catalog	199	65

	PS	Page
TRACKED VEHICLES, GENERAL		
Improving track mileage	196	20
TRACTOR, CRAWLER, IHC, TD-6		
Don't destroy pubs	194	56
TRAILER, SEMI, 12-TON, G750 series		
M127 series--metal stakes	198	15
TRAINING AIDS		
Driver tester (vehicles)	194	41
Supply help	195	63
TRUCK, GENERAL		
Clean breathers	196	24
Tailgate chain covers	195	41
TRUCK, 1/4-TON, G838 SERIES		
MWO--parking brake	195	41
Pedals, brake & clutch--slip proof	194	37
PM services now 6,000 miles or 6 months	194	40
Rubber bumpers in windshield	196	26
Training required	197	81
TRUCK, 1/4-TON, M151		
Ball Joints--allowable play	195	38
Exhaust manifold bolts--tightening	198	14
Grease Gun Adapter	196	26
TRUCK, 3/4-TON, G741 SERIES		
Fuel filter service	194	38
Horn--cable contact retainer	194	41
Pedals, brake & clutch--slip proof	194	37
TRUCK, 1 1/4-TON, G890 SERIES		
Common problems	198	2
Load classification	198	12
TRUCK, 1 1/4-TON, M561 & M792		
ESC--DA Form 12-38 write-in's	196	27
TRUCK, 2 1/2-TON, GENERAL		
Van body glass for M109	194	65
TRUCK, 2 1/2-TON, G742 SERIES		
Mount, machine gun, M36A1	194	39
Multifuel, Fuel tank gaskets	198	14
TRUCK, 2 1/2-TON, M109		
Van body glass repair FSN	194	65
TRUCK, 5-TON, G744, SERIES		
Mount, machine gun, M36A1	194	39
Diesel		
New brake & fuel vent "breather"	194	40
Multifuel		
Fuel tank gaskets	198	14
New brake & fuel line vent "breather"	194	40

	PS	Page
TRUCK, WRECKER, 5-TON, GENERAL		
Secure boom	195	40

V

VEHICLES, GENERAL		
Wheel bearings--use lubricator, not hands	194	42
Cooling system care	199	2
VEHICLES, TACTICAL GENERAL		
Communications installation	198	12
Generator regulator-25-amp	194	40
VEHICLE, ENGINEER, COMBAT, M728		
Hydraulic oil change	199	65
Obturator pad--must have date on it	196	28
VEHICLE, RECONNAISSANCE, ASSAULT, M551 General Sheridan		
Introduction, part I	197	2
Introduction, part I	198	40
VEHICLE, RECOVERY, M88		
Solenoid care	196	22
Hydraulic system care	197	20
VEHICLE, RECOVERY, M578		
Hydraulic system care	197	20
VEHICLE, TANK RECOVERY, M88-no bulldozing permitted	194	44

W

WATER TANKS		
Securely fastening w/glue	195	42
WEAPONS, GENERAL		
Use your TM's trouble-shooting chart(continuity)	195	29
WELDING		
Linde MIG sets, hook up	194	46
WHEEL		
Bearings--finger tight	195	38
WHEELED VEHICLES, GENERAL		
Checking gas tanks & radiators for leaks	198	15
WINCH		
Cable care--lubing	196	63
WINTERIZATION		
Alcohol in fuel systems	196	65
WRECKER, M543 & M543A2		
Boom-sheave-pin locking plate	194	43



THEY KEEP LIQUIDS CLEAN AND FREE OF GRIT!



THEY KEEP MACHINES, ELECTRONICS COOL



THEY KEEP AIR CLEAN AND FREE OF DUST

ALL YOU DO IS...
KEEP FILTERS CLEAN